




CK.0000063527



DIRECTIONS IN DEVELOPMENT

Countries and Regions

QUỸ NGÂN HÀNG THẾ GIỚI
TÀNG

Facilitating Trade through Competitive, Low-Carbon Transport

*The Case for Vietnam's Inland and
Coastal Waterways*

UYỀN
LIỆU

Luis C. Blancas and M. Baher El-Hifnawi



THE WORLD BANK

Facilitating Trade through Competitive,
Low-Carbon Transport

Facilitating Trade through Competitive, Low-Carbon Transport

*The Case for Vietnam's Inland and
Coastal Waterways*

Luis C. Blancas and M. Baher El-Hifnawi



THE WORLD BANK
Washington, D.C.

	Conclusions on Waterways, Ports, and Fleet	70
	Notes	71
	References	72
Chapter 4	Modal Differences in Fuel Efficiency and Greenhouse Gas Emissions	73
	Relative Carbon Intensity among Transport Modes	73
	Indicative Estimates of GHG Emission Reductions	77
	Conclusions	79
	Notes	79
	References	79
Chapter 5	Main Challenges and Recommendations	81
	Planning	81
	Institutional/Regulatory Environment	83
	Physical Bottlenecks	86
	Financing	91
	Reference	92
Chapter 6	Strategy and Action Plan	93
Chapter 7	Estimated Impact of Public Sector Interventions in IWT and Coastal Shipping	97
	Translating the IWT/Coastal Shipping Strategy into Tangible Interventions	97
	Methodology: Translating Interventions into Impacts	98
	Modal Shift and Emissions Impact of the Proposed Interventions	100
	CBA Results	101
	Conclusions	106
	Reference	107
Appendix A	List of Stakeholders Interviewed	109
	Private Sector Stakeholders Interviewed (2010–12)	109
	Public Sector Stakeholders Interviewed (2010–12)	110
Appendix B	Major Waterway Routes in the Northern and Southern Regions	113
	Reference	118
Appendix C	General Considerations on DWT Capacity Increases in the National IWT Fleet	119
	Length Increase	119
	Beam Increase	119

	Draft Increase	120
	Hydraulic Impact	120
Appendix D	Cargo Data and Modal Split Model	121
	The VITRANSS-2 Dataset Structure	121
	Cargo Data and Other Inputs Used from the VITRANSS-2 Database	123
	Design of the Logit Model Using VITRANSS and Other Data	146
	The Modal Split Model as Developed in This Report	149
	The Impact of Lower Transport Costs on Modal Split Notes	155
	References	167
Appendix E	Detailed Description of Proposed Interventions	169
	Detailed Discussions of Each Intervention	169
	Notes	179
	Reference	179
Appendix F	Detailed Impacts of Proposed Interventions	181
	Project Impacts in 2020 and 2030 Resulting from the Modal Split Model	181
	CBA Methodology and Results	190
	Notes	195
	References	195
Boxes		
2.1	A New Container Route in the Mekong Delta	27
2.2	Container Transferium near the Port of Rotterdam	35
2.3	Speed and Reliability as Barriers for IWT in Europe	37
2.4	Cooperation in Logistics Networks and Infrastructure Incentives in Western Europe	39
3.1	Institutional Organization of a Typical Dutch River Port	46
3.2	Classification of European Waterways	53
3.3	Sea-River Vessels in Europe	66
3.4	Fleet Renewal Policies in the Netherlands	67
3.5	Dutch IWT Vessel Fleet Evolution, 2000–08	69
4.1	CO ₂ Emissions from Inland Shipping in the Netherlands, 1995–2005	76
D.1	VITRANSS-2 Scenarios	122
E.1	Estimating Investment Costs	171
E.2	Extended Gateway Concept	172
E.3	Coastal Container Shipping in Vietnam	175
E.4	The Marco Polo Program	179

Figures

1.1	Analytical Approach	9
1.2	Structure of the Report by Chapter	12
2.1	Tonnage Throughput at Vietnam's Seaports by Flow Type, 1995–2008	29
2.2	Container Throughput at Vietnam's Seaports by Flow Type, 1995–2008	31
2.3	Largest Container Ports in Vietnam by Throughput, 2007	32
3.1	Congestion on the Cho Gao Canal	45
3.2	Vietnam: Number of Vessels by DWT Class as a Share of Total Fleet, 2000–10	61
3.3	Vietnam: Carrying Capacity by DWT Class as Share of Total River-Going Cargo Fleet, 2000–10	63
3.4	Vietnam: Number of Ocean-Going Vessels by Type, 2010	64
3.5	Vietnam: Ocean-Going Vessels by DWT Class, 2010	65
3.6	Average Increase in Tonnage (DWT) in the Western European (Belgium, Germany, and the Netherlands) IWT Fleet Relative to Vietnam's Position	68
4.1	CO ₂ Intensity of Selected Freight Transport Modes, Log Scale	75
4.2	CO ₂ Emissions, Long Distance (>150 km) Freight Transport, 2010	75
4.3	CO ₂ Emissions for Long Distance Bulk Freight Transport, 2000	76
B4.1.1	Inland Shipping CO ₂ Emissions in the Netherlands, 1995–2005	76
6.1	Schematic of the Proposed IWT and Coastal Shipping Strategy	94
7.1	Analytical Tools and Assessment Outputs	99
D.1	Options to Estimate the Parameters of a Logit Model	149

Maps

1.1	Main Areas of Study in Vietnam	10
2.1	Main Corridors in the Northern Delta	19
2.2	Main Corridors in the Mekong Delta	21
2.3	Cross-Border River Transport between Vietnam and Cambodia	34
3.1	Inland Waterways in Vietnam's North Region	49
3.2	Inland Waterways in Vietnam's South Region	50
5.1	Main Inland Waterways and Ports in the North Region	86
5.2	Main Inland Waterways and Ports in the South Region	87

Tables

O.1	Proposed Interventions to Enhance IWT and Coastal Shipping Performance	2
O.2	Cost-Benefit Analysis (CBA) Results for the Proposed Interventions	3
O.3	Sources of Economic Benefits by Intervention	4
2.1	Vietnam: Interprovincial Freight Volumes by Mode, 2008 and Forecast to 2030	14

2.2	Modal Share of Surface Freight Volumes in the Netherlands, 2011	15
2.3	Freight Transport Volumes (Tons per Day) and Modal Shares by Commodity, 2008	16
2.4	Freight Transport Volumes (Tons per Day) and Modal Shares by Length of Haul, 2008	17
2.5	Red River Delta: Current/Projected Road and Waterway Interprovincial Flows	19
2.6	Current and Projected Main Interprovincial Cargo Flows in the Mekong Delta	20
2.7	Road and Coastal Containerized Cargo Flows for the North-South Axis	22
2.8	Origin-Destination Cargo Flows for Corridor 1 in the Red River Delta, 2008	23
2.9	Origin-Destination Cargo Flows for Corridor 2 in the Red River Delta, 2008	24
2.10	Origin-Destination Cargo Flows for Corridor 3 in the Red River Delta, 2008	24
2.11	Origin-Destination Cargo Flows for Corridor 1 in the Mekong River Delta, 2008	25
2.12	Origin-Destination Cargo Flows for Corridor 2 in the Mekong River Delta, 2008	26
2.13	Cargo Volume Handled at Vietnam's Seaports, 1995–2008	29
2.14	Container Volume Handled by Vietnam's Seaports, 1995–2008	30
2.15	NRCTSS 2005 Base Case IWT Volumes and Transport Costs in the North Region	34
B2.4.1	Public Subsidy Program for Transshipment Facilities in the Netherlands, 1996–2004	41
3.1	Scale of Inland Waterways in Vietnam	48
3.2	Vietnam: Technical Classification of Waterways	51
3.3	River Fleet by Waterway Class for 50 and 90 Percent Load Factors	52
B3.2.1	Classification of European Inland Waterways	53
3.4	Allocated Public Investments in Transport by Subsector, 1999–2007	54
3.5	Major Channel Development Projects as of 2010	55
3.6	Vietnam: Technical Classification of Freight River Ports	57
3.7	Major Port Development Projects	58
3.8	Profile of Major Terminals in Selected Operational Class 1 Seaports	59
3.9	Vietnamese Inland Waterway Ships above 20 Meters in Length	60
3.10	Vietnam: Size Class (DWT) of River-Going Cargo Vessels, 2000–10	60
3.11	Vietnam: DWT Carrying Capacity of River-Going Cargo Vessels by Size Class, 2000–10	62

3.12	Characteristics of Barge Convoys in the Mekong Delta, 2002	64
3.13	Vietnam: Ocean-Going Container Vessel Fleet Characteristics, 2010	65
3.14	Typical Container Vessel Characteristics by Size Class, Based on World Fleet	65
B3.4.1	Fleet Renewal and Modernization in the Netherlands	67
3.15	Constraints for Vessel DWT Capacity Increases	68
B3.5.1	Vessel Count in the Dutch Inland Waterway Fleet by DWT Category, 2000 vs. 2008	69
B3.5.2	Tonnage Deployed in the Dutch Inland Waterway Fleet by DWT Category, 2000 vs. 2008	69
4.1	Indicative Evolution of Vietnam's Average IWT Vessel Fleet Emissions	77
4.2	Indicative Gain from Fleet Modernization and Upgrading	78
4.3	Indicative Gain from Modal Shift from Road to Waterway Freight Transport	78
6.1	Recommended Actions for IWT and Coastal Shipping Development in Vietnam	95
7.1	Proposed Interventions to Enhance Performance	98
7.2	Long-Term Emission Reduction and Modal Share Impacts of Proposed Interventions	100
7.3	CBA Results for the Proposed Interventions	102
7.4	Sources of Economic Benefits by Intervention	102
7.5	Sensitivity Analysis	106
B.1	Major Routes in the North Region	114
B.2	Major Routes in the South Region	116
D.1	VITRANSS Zones: Vietnamese Provinces	123
D.2	VITRANSS-2 Commodity Groupings	123
D.3	Road Distances from Northern and Southern Provinces to the Northern Provinces	124
D.4	Road Distances from Northern and Southern Provinces to the Southern Provinces	126
D.5	IWT Distances between Northern Provinces	128
D.6	IWT Distances between Southern Provinces	129
D.7	Northern Provinces: Road Cargo Flows in 2008	130
D.8	Northern Provinces: Road Cargo Flows in 2020	131
D.9	Northern Provinces: Road Cargo Flows in 2030	132
D.10	Northern Provinces: IWT Cargo Flows in 2008	133
D.11	Northern Provinces: IWT Cargo Flows in 2020	134
D.12	Northern Provinces: IWT Cargo Flows in 2030	135
D.13	Southern Provinces: Road Cargo Flows in 2008	136
D.14	Southern Provinces: Road Cargo Flows in 2020	137
D.15	Southern Provinces: Road Cargo Flows in 2030	138
D.16	Southern Provinces: IWT Cargo Flows in 2008	139
D.17	Southern Provinces: IWT Cargo Flows in 2020	140

D.18	Southern Provinces: IWT Cargo Flows in 2030	141
D.19	Outgoing Commodities for the North Region	142
D.20	Incoming Commodities for the North Region	143
D.21	Outgoing Commodities for the South Region	144
D.22	Incoming Commodities for the South Region	145
D.23	Main Performance Indicators of IWT Vessels in Vietnam	150
D.24	Example of Road and IWT Shipping Costs per O-D Pair for Corridor 1	151
D.25	Example of Road and IWT Transit Times per O-D Pair for Corridor 1	152
D.26	Summary of Shipping Costs and Operational Data of Containerships	153
D.27	IWT Shipping Costs per O-D Pair at Corridor 1 for Class 1 Vessels	155
D.28	IWT Volumes for the Red River Delta with and without a One-Class Increase in Ship Size	156
D.29	IWT Volumes Mekong River Delta with and without a One-Class Increase in Ship Size	156
D.30	Estimated Impact of a Hypothetical 10 Percent Decrease in Terminal Handling Charges on the Modal Split of the North-South Trade	158
D.31	Main Cost Components	159
D.32	Round-Trip Time Components and Related Costs	160
D.33	Cost Components of Coastal Transport (HCMC to/from Haiphong)	161
D.34	Trucking Costs for 15-Ton Trucks on North-South Axis	163
D.35	Trucking Costs per Ton on the North-South Axis and within the Red River Delta	163
D.36	Trucking Cost as a Function of Truck Size for Transport in River Deltas	164
D.37	Ship Particulars and Capital Related Costs of Self-Propelled Barges	164
D.38	Non-Capital-Related Costs and Operational Data	165
D.39	Operational Data, Costs, and Emissions by Ship Size and Trip Length	166
D.40	General Data	167
E.1	Summary Overview of the Proposed Interventions	170
F.1	Estimated Impact of Project 1 by 2020 and 2030: Red River Delta Corridor 1	184
F.2	Estimated Impact of Project 2 by 2020 and 2030: Red River Delta Corridor 2	185
F.3	Estimated Impact of Project 3 by 2020 and 2030: Red River Delta Corridor 3	185
F.4	Estimated Impact of Project 4 by 2020 and 2030: Red River Delta Extended Gateway	186

F.5	Estimated Impact of Project 5 by 2020 and 2030: Mekong Delta Corridor 1	187
F.6	Estimated Impact of Project 6 by 2020 and 2030: Coastal Shipping Container Terminal Development	188
F.7	Estimated Impact of Project 7 by 2020 and 2030: Charging for Waterway Maintenance	189
F.8	Estimated Impact of Project 8 by 2020 and 2030: Engine Modernization Program	189
F.9	CBA Results for the Proposed Interventions	193
F.10	Sources of Economic Benefits by Intervention	194
F.11	Sensitivity Analysis	194