

Dissertation for Degree of Doctor

Isolation Of Unculturable Soil Bacteria
And Finding Of Their Antibiotic Candidates

by

Nguyen Manh Tuan

Department of Life Science

Graduate School

Kyonggi University

(2017)

Isolation Of Unculturable Soil Bacteria And Finding Of Their Antibiotic Candidates

by
Nguyen Manh Tuan

A dissertation submitted to the faculty of
the Graduate School in partial fulfillment of the requirements
for the degree of Doctor of Philosophy

Department of Life Science

Graduate School

Kyonggi University

December 2017

Approved the dissertation of Nguyen Manh Tuan
as qualified for the Degree of Doctor
of Philosophy

Chairman _____ Signature

Member _____ Signature

Member _____ Signature

Member _____ Signature

Member _____ Signature

December 2017

Graduate School of Kyonggi University

Contents

List of Tables	vii
List of Figures	viii
Acknowledgement	x
Abstract	xi

Chapter I. Modification Of Soil Extraction Method To Cultivate Unculturable Soil Bacteria 1

1.1 Introduction	1
1.2 Aims to Study	3
1.3 Material and method	4
1.3.1 Information of soil property used for the method	4
1.3.2. Preparing new soil extraction (NSE) in 1 litre medium	4
1.3.3 Medium for isolation of soil bacteria	5
1.3.4 Soil sampling site and preparation of soil sample	5
1.3.5 New developed method for isolation of previously unculturable soil bacteria	6
1.3.6 Traditional soil extract method	6
1.3.7 Modified transwell culture system method	7
1.3.8 Bacterial genomic extraction and small-subunit rRNA (SSU rRNA) amplification	7
1.3.9 Identify 16S rRNA gene sequences and accession numbers of 16S rRNA gene sequenses	8

1.3.10	Parameter tools/software programs	8
1.3.11	Role of complex isolate medium compositions to grow previously unculturable soil bacteria	9
1.3.12	DNA extract from soil	9
1.3.13	PCR amplification and pyrosequencing	10
1.3.14	Analysis of pyrosequencing data	10
1.3.15	Determining and comparison of soil extract ingredients investigated	11
1.3.16	Sample preparation for simultaneous profiling analysis of amino acids, organic acids and fatty acids in soil extract	12
1.3.17	Gas chromatography-mass spectrometry	12
1.3.18	Inorganic ingredients	13
1.4	Results	14
1.4.1	Shortage of previous methods and new method development	14
1.4.2	Method validation through comparative analysis of organic/inorganic compounds	19
1.4.3	Method validation through cultivability of unculturable bacteria	21
1.4.4	Method validation through isolation rate of unculturable or new taxonomic bacteria	24
1.4.5	Method validation through taxonomic analysis	29
1.5	Discussion	33
Chapter II. Taxonomical Characterization Of Novel Taxa		37
2.1 A Rapid And Simple Method For Identifying Bacterial Polar Lipid Components In Wet Biomass		37
2.1.1	Introduction	37

2.1.2 Aim to study	38
2.1.3 Material and method	39
2.1.3.1 Organisms and growth conditions	39
2.1.3.2 Polar lipids extraction using the improved method	40
2.1.3.3 Polar lipids extraction using the the method of Minnikin et al. (1984)	42
2.1.3.4 Polar lipids analysis	42
2.1.4 Results and Discussions	43
2.1.4.1 Polar lipid profiles of <i>Microbacterium lacticum</i> compared	43
2.1.4.2 Polar lipid profiles of <i>Rhodococcus koreensis</i> compared	44
2.1.4.3 Polar lipid profiles of <i>Pseudomonas aeruginosa</i> compared	48
2.1.4.4 Polar lipid profiles of <i>Streptomyces longwoodensis</i> compared	48
2.1.4.5 Polar lipid profiles of <i>Novosphingobium capsulatum</i> compared	48
2.2 Description of <i>Flavobacterium fulvus</i> sp. nov., <i>Flavobacterium pedocola</i> sp. nov., and <i>Flavobacterium humicola</i> sp. nov., novel members belong to the family <i>Flaviobacteriaceae</i>, isolated from soil	51
2.2.1 Introduction	51
2.2.2 Materials and method	52
2.2.2.1 Sample and isolation of strains	52
2.2.2.2 Phenotypic characterisation	53
2.2.2.3 Genomic DNA isolate	54
2.2.2.4 Phylogenetic analyses	55
2.2.2.5 DNA–DNA hybridization (DDH)	56
2.2.2.6 G+C mol content	58
2.2.2.7 Determining fatty acids components	58

2.2.2.8 Components of menaquinone and polar lipids	59
2.2.3 Results and discussion	61
2.2.3.1 Results of comparison between new isolates and their relative species	61
2.2.3.2 Description of novel isolates of genus <i>Flavobacterium</i>	72
Chapter III. Isolation And Characterization Of Novel Antibiotic Candidates	78
3.1 General Information	78
3.1.1 Introduction	78
3.1.2 General background	79
3.1.2.1 Term of antibiotic	79
3.1.2.2 Antibiotic history	80
3.1.2.3 How antibiotics work to kill bacteria	82
3.1.2.4 Current problems with known drugs	86
3.1.2.5 Mechanisms of drug resistance	88
3.1.3 Goal of this study	91
3.2 Screening of Antibiotic-Producing Bacteria Isolated From Soils	92
3.2.1 Materials and methods	92
3.2.1.1 Soil sample	92
3.2.1.2 Isolation of microorganisms	92
3.2.1.3 For members of Actinobacteria	92
3.2.1.4 Modified culture method	93
3.2.2 Screening antibiotic-producing bacteria	93

3.2.2.1 Microorganisms used to test	93
3.2.2.2 Assay of antimicroorganisms activities	94
3.2.2.3 Identification of 16S rRNA gene analysis	94
3.2.3 Results and discussion	94
3.2.3.1 Isolation of anti-microorganisms	94
3.2.3.2 Finding of the best strain to extract antibiotics	101
3.3 Characteristic Of Antibiotic Derived A Novel Species of Genus	
<i>Sphingobium</i>	104
3.3.1 Material and method	104
3.3.1.1 Fermentation and extraction of antibiotic	104
3.3.1.2 Purification of antibiotic extraction by silica gel column	
chromatography	105
3.3.1.3 Collection of individual compound by Prep-HPLC	105
3.3.1.4 Minimum inhibitory concentration (MIC) test	107
3.3.2 Results and discussion	108
3.3.2.1 Major descriptions of strain UCM-25	108
3.3.2.2 Extraction, purification, separation of antibiotics	110
3.3.2.3 Thin-Layer Chromatography (TLC) assay	110
3.3.2.4 Collecting individual compound	112
3.3.2.5 Minimal Inhibitory Concentration (M.I.C) test	116
3.4 An Antibiotic Producing <i>Streptomyces</i> Species Kills Drug Resistant	
Pathogens	118
3.4.1 Material and methods	118
3.4.2 Results and Discussion	119

3.4.2.1 Major information for strain T1317-0309	119
3.4.2.2 Screening of fractions collected by Prep-HPLC	126
3.4.2.3 Minimal Inhibitory Concentration (M.I.C) test	127
Chapter IV. General Conclusion	131
4.1 Modification Of Soil Extraction Method	131
4.2 Taxonomical Characterization Of Novel Taxa	132
4.3 Isolation And Characterization Of Novel Antibiotic Candidates	133
Reference	135
Appendix	167
Abstract in Korean	202

List of Table

Table 1.	Brief summary comparison of results by methods determined	15
Table 2.	List of soil extract components defined a new way and general approaches	17
Table 3.	List of bacterial isolates used for evaluating new soil extract (NSE)	21
Table 4.	Comparison of convenient methods for extracting bacterial polar lipids	49
Table 5.	Comparison of distinct phenotypic characteristics between four isolate strains and their type strains of the most related species of the genus <i>Flavobacterium</i>	63
Table 6.	Cellular fatty acid composition (%) of four isolate strains and the type strains of related species of the genus <i>Flavobacterium</i>	67
Table 7.	Antibiotic pathways to inhibit microorganisms	83
Table 8.	List of isolating bacterial soils that showed target microorganisms	95
Table 9.	Antibiotic extract activity of inhibition of target microorganisms using paper disc	102
Table 10.	Activities of each fraction that are collected by Prep-HPLC, which inhibit target pathogens (Inhibition zone in mm)	113
Table 11.	Minimal inhibitory concentration (MIC in $\mu\text{g ml}^{-1}$) values of Fr-1 and Fr-2	117
Table 12.	Cultural characteristics of <i>Streptomyces</i> sp. T1317-0309 on various media tested at 28°C for 21 days	120
Table 13.	Result of identification of strain T1317-0309 based on 16S rRNA gene sequencing using the eztaxon-e	123
Table 14.	Antibacterial activities of the Fr-5 collected from <i>Streptomyces</i> sp. T1317-0309	129